



SAFETY TAILGATE MEETING

Generated by Safety Compliance App www.safetycompliance.com | www.safetycomplianceapp.com

Company	Pacific Hydrotech Corporation	Project	C2019 Rattlesnake		
Date	January 15, 2025	Time	11:30 AM	Conductor	Hugo Solis

POWDER ACTUATED TOOLS

INTRODUCTION

Powder- Actuated Tools are like firearms. They can be extremely dangerous if in untrained hands or not used correctly.

Group Discussion:

- What tasks do we use powder actuated tools for?

In this meeting, we will discuss:

(1) BEFORE USING THEM

(2) WHILE USING THEM

(3) ADDITIONAL SAFETY PRECAUTIONS

BEFORE USING THEM

- Only trained, qualified personnel are to use Powder Actuated Tools. (California requires you have a valid operator card).
- Read and understand the manufacturer instructions.
- Inspect the tool before use. Ensure it is clean and in good repair.
- Post a sign within 50' of where you will be working and in clear view that states "POWDER ACTUATED TOOLS IN USE." Ensure no one unauthorized is in the danger area. Delineate the area if needed.
- Have all required PPE available including, eye/face protection and hearing protection.
- Choose the correct power load and level for the work you will be doing.

Remove any damaged or unsafe tools from service and notify your supervisor. Mark it "Defective".

WHILE USING THEM

- Do not point the tool at yourself or others. Ensure others are safely out of the way before and during use, including on the other side of a wall.
- Keep hand and feet clear of the barrel end.
- Always make fastenings perpendicular to the base material and hold the tool firmly in place. Get in a strong firing position.
- Never load a tool until you are ready to make a fastening.
- In the event of a misfire, hold the tool firmly against the work surface for a period of 30 seconds and then follow the manufacturer's instructions.
- Use the tool with the correct shield, guard or attachment recommended by the manufacturer.
- Do not use in an explosive atmosphere.
- Do not drive fasteners into easily very hard or brittle materials including, but not limited to, cast iron, glazed tile, hardened steel, glass block, natural rock, hollow tile or most brick.
- Do not drive fasteners into easily penetrated or thin materials or materials of questionable resistance unless backed by a material that will prevent the fastener from passing through the other side.

ADDITIONAL SAFETY PRECAUTIONS

- There are other safety precautions provided in specific tool manuals. Take the time to read and understand these instructions. If you have questions, call your supplier or the manufacturer for assistance.
- Keep stored under lock and key when not in use.
- Keep power loads and levels of different types in separate storage compartments or containers.
- Dispose of spent and unspent casings per manufacturer guidelines.

Attendees Names

daniel alva

Adan Moreno

Antonio Velasquez

Juan Velasquez

andrew Ingelmo

Marcello Lara jr

rosario rodriguez

Andrew Augustine

Victor Calvillo

Porfirio Lopez

ismael florentino

Todd Fithian

Anthony Sanchez

alejandro rodriguez

Ramon Lopez

cesar Gutierrez

Brandon Brown

David Palomarez

Roberto Rodriguez

Attendees Signatures

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

Jeremia Nickolls	N/A
Michael Hall	N/A
Michael Alanis	N/A
Fernando Suarez	N/A
Manuel Contreras	N/A
Kenneth Nazario	N/A
Eric Meda	N/A
Fidel Campos	N/A
Raul Velasco	N/A
Margarito Lara	N/A

Alejandro Gonzalez



Angel Cervantes	N/A
Michael LeBaugh	N/A
Leigh O'keefe	N/A
Diego Velasco	N/A
Antonio Gutierrez	N/A
Arturo Godoy	N/A
Sergio A Zamora	N/A
Orlando Diaz	N/A
Joey Velasco	N/A
Jaime Velasco	N/A
Adalberto Palomares	N/A
Juan Mendoza	N/A
Armando Palomares	N/A
Luis Gustavo Velasco	N/A

Oscar Sanchez



Phillip Espinosa	N/A
Jose Galindo	N/A
Luis Castrejon	N/A
Danny Alava	N/A
Gabriel Rodriguez	N/A
Ricardo Vasquez	N/A
Francisco Vargas	N/A
Juan Mendez	N/A
Hector Velasco	N/A
Jose A. (Angel) Lopez	N/A
Ricardo Quinteros	N/A
Marco Amaro	N/A
Brian Vega Chacon	N/A
Alejandro (Alex) Gomez	N/A
Maclovio Figueroa	N/A
Emilio Arrieta	N/A
Marcelo Lara	N/A
Juan Carlos Zelaya	N/A
Antonio Navarro	N/A
Rigoberto Cuevas	N/A
Ruperto Garcia	N/A

CONDUCTOR SIGNATURE

A handwritten signature in black ink, appearing to be 'H. Garcia', written in a cursive style.

Copyright ©2018 Safety Compliance Company. All rights reserved. This document is intended as a safety tailgate meeting and does not contain all OSHA regulations. Please refer to OSHA and other state and federal agencies for further and current regulations. Not to be duplicated or distributed for use without the express written consent of Safety Compliance Company