



# CONFINED SPACE PERMIT

Generated by Safety Compliance App [www.safetycompliance.com](http://www.safetycompliance.com) | [www.safetycomplianceapp.com](http://www.safetycomplianceapp.com)

<b>Company</b>	Safety Compliance Company	<b>Project</b>	Project 1 Test
<b>Time</b>	08:47 PM	<b>Date</b>	December 06, 2018
<b>Duration</b>	06	<b>Supervisor Name</b>	Kathy Day

## SECTION 1

### SITE LOCATION

VI cycle yucca yvuc

### DESCRIPTION OF CONFINEDSPACE

Tyvuvivuvuf couch Bhai I am out this summer with my mom in my life

### NATURE OF WORK/ REASON FOR ENTRY

I am sorry for the long time it took us a

### OTHER PERMITS

**1 # Hot Permit 1**

## SECTION 2

### PERMIT PULLED

Pull Date : **December 06, 2018**

Pull Time : **08:47 PM**

Pull Duration : **06**

### PERMIT CLOSED

Closed Date : **December 06, 2018**

Closed Time : **08:50 PM**

### RESCUE AND EMERGENCY RESPONSE

#### No Entry Rescue

Uffucucuc h the only way I

## SECTION 3

### Atmospheric Hazard Identification

**Air Monitoring location specified** Top

**Air Monitoring location specified** Bottom

### Ventilation

**Adequate pre-entry ventilation has been completed** Mechanical

## SECTION 4

### INITIAL TEST BEFORE MECHANICAL VENTILATION OR ENTRY

LEL	5
Oxygen	65
H2S	5
CO	5

### TEST AFTER VENTILATION

LEL	215
Oxygen	2
H2S	5
CO	5

## ATTENDANT(S)

Johny Cristo

## AUTHORIZED ENTRANTS

Jack Carlo

## COMMUNICATION SYSTEM

Radio

Verbal

test

## OTHER HAZARDS


test other too

## PPE REQUIRED

Body Protection

Respiratory Protection

## SUPERVISOR SIGNATURE

A handwritten signature in black ink, consisting of a large, stylized letter 'S' with a loop at the bottom.

## CLOSED SIGNATURE

A handwritten signature in black ink, consisting of a stylized letter 'F' with a loop at the top.