



PROJECT INSPECTION

Generated by Safety Compliance App www.safetycompliance.com | www.safetycomplianceapp.com

| | | | |
|-----------------------|----------------------------------------|----------------------------|------------------------------------------|
| Company | Silverwood Landscape Construction Inc. | Type of Inspection: | Cal/OSHA Heat Illness Replenishment Form |
| Project | Amplifi | Date of Inspection | October 25, 2020 |
| Inspector Name | AlejandroSalgado.SWL@icloud.com | Time of Inspection | 10:44 AM |

INSPECTION ITEMS

| Item | | Comment | Photo |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| Click "Satisfactory" and enter the job site address / cross streets/Oprima "Satisfactory" y la Ubicación del lugar de trabajo y Cruza las Calles | Satisfactory | 600 w Commonwealt AVE Fullerton ca Commonwealth and chestnut place | - |
| Is there a system in place to monitor the temperature? Please describe below /¿Cómo será la temperatura se puede controlar? | Satisfactory | Por celular | - |
| Is sufficient shade available for the site? Describe below the type of shade and where it is located/El tipo de Sombra para ser proporcionado y la ubicaciones. Describe el tipo y el lugar. | Satisfactory | Adentro del edificio ay Michael sonbra | - |
| Is there a water indicator management system in place that triggers the need for replenishment? Describe it in the comments/¿ Cuales indicadores seran utilizados para determinar se el abastecimiento de agua requiere rellenar? Describe. | Satisfactory | Cuando tengamos menos de 3 galones sera tiempo de reynar agua , solo somos 3 trabajadores | - |
| Is sufficient drinking water available? Enter the number of containers and where they are located/¿Hay suficiente agua para beber? Numere y la ubicación de contenedores de agua. | Satisfactory | Tenemos 2 contenedores de agua de 5 galones cada uno . La ubicacion cambia dia a dia porque no trabajamos en el mismo lugar .pero sienpre tenemos agua serca | - |
| Is someone in charge of calling 911 in the event of an emergency? Enter name in comments/El dirigente de llamar al 911 | Satisfactory | Alejandro salgado | - |
| Is someone in charge of the Heat Illness Program on site? Enter name in comments/El dirigente de Enfermedad por Calor Programa | Satisfactory | Alejandro salgado | - |

| | | | |
|-------------------------------------------------------------------------------------------------|--------------|-------------------|---|
| Is someone in charge of shade set up? Enter name in comments/El dirigente de Sombra | Satisfactory | Alegandro salgado | - |
| Is someone in charge of replenishment? Enter name in comments/El dirigente de abastecimiento | Satisfactory | Alejandro salgado | - |
| Are there any special notes or comments? Notas y Condiciones especiales | N/A | | - |