



# PROJECT INSPECTION

Generated by Safety Compliance App [www.safetycompliance.com](http://www.safetycompliance.com) | [www.safetycomplianceapp.com](http://www.safetycomplianceapp.com)

|                       |  |                            |  |
|-----------------------|--|----------------------------|--|
| <b>Company</b>        | Silverwood Landscape Construction Inc. | <b>Type of Inspection:</b> | Cal/OSHA Heat Illness Replenishment Form |
| <b>Project</b>        | Link OC Anaheim                        | <b>Date of Inspection</b>  | November 08, 2024                        |
| <b>Inspector Name</b> | Albis Cruz Suazo                       | <b>Time of Inspection</b>  | 02:54 PM                                 |

## NOTES

|                       |                    |                     |          |
|-----------------------|--------------------|---------------------|----------|
| 10<br>Items Inspected | 10<br>Satisfactory | 0<br>Unsatisfactory | 0<br>N/A |
|-----------------------|--------------------|---------------------|----------|

## INSPECTION ITEMS

### General

Click "Satisfactory" and enter the job site address / cross streets/Oprima "Satisfactory" y la Ubicación del lugar de trabajo y Cruza las Calles **Satisfactory**

|                         |   |
|-------------------------|---|
| <b>Comment</b>          |   |
| 1041 link oc Anaheim ca | - |

Is there a system in place to monitor the temperature? Please describe below /¿Cómo será la temperatura se puede controlar? **Satisfactory**

|                |   |
|----------------|---|
| <b>Comment</b> |   |
| by cellular    | - |

Is sufficient shade available for the site? Describe below the type of shade and where it is located/El tipo de Sombra para ser proporcionado y la ubicaciones. Describe el tipo y el lugar. **Satisfactory**

|                    |   |
|--------------------|---|
| <b>Comment</b>     |   |
| building and trees | - |

Is there a water indicator management system in place that triggers the need for replenishment? Describe it in the comments/¿ Cuales indicadores seran utilizados para determinar se el abastecimiento de agua requiere rellenar? Describe. **Satisfactory**

**Comment**

if water jar is less than 1/4

-

**Is sufficient drinking water available? Enter the number of containers and where they are located/¿Hay suficiente agua para beber? Numere y la ubicación de contenedores de agua.****Satisfactory****Comment**

5 gallons jar on truck 161

-

**Is someone in charge of calling 911 in the event of an emergency? Enter name in comments/El dirigente de llamar al 911****Satisfactory****Comment**

albis cruz

-

**Is someone in charge of the Heat Illness Program on site? Enter name in comments/El dirigente de Enfermedad por Calor Programa****Satisfactory****Comment**

albis cruz

-

**Is someone in charge of shade set up? Enter name in comments/El dirigente de Sombra****Satisfactory****Comment**

albis cruz

-

**Is someone in charge of replenishment? Enter name in comments/El dirigente de abastecimiento****Satisfactory****Comment**

albis cruz

-

**Are there any special notes or comments?/Notas y Condiciones especiales****Satisfactory**