



**Results for:**  
Lockout Tagout - Construction

**Company Name:**  
AMCAL

**Points:**  
90 out of 90

**Duration:**  
2 min, 40 sec

**Percentage:**

**100.00%**

**Employee Name:**  
Gary Blair

**Title:**  
Lockout Tagout - Construction

**Date finished:**  
Sep Fri September 2021 12:12

**Date started:**  
Sep Fri September 2021 12:10

### Question 1 of 9

Types of hazardous energy include pneumatic, electrical and:

Correct answer: (A)

Selected answer: (A)

- A) Thermal
- B) Dissipation
- C) All of the above

### Question 3 of 9

The last step of de-energizing procedures is verify.

Correct answer: (A)

Selected answer: (A)

- A) True
- B) False

### Question 2 of 9

Step four of de-energizing lockout procedures is placing the lock.

Correct answer: (B)

Selected answer: (B)

- A) True
- B) False

### Question 4 of 9

In the fatality story, what type of hazardous energy killed the worker?

Correct answer: (B)

Selected answer: (B)

- A) Gravitational
- B) Electrical
- C) Mechanical

### Question 5 of 9

**An electrical plug never needs to be locked out.**

Correct answer: **(B)**

Selected answer: **(B)**

A) True

B) False

### Question 6 of 9

**A lock does not need to be placed on a circuit breaker as long as it is turned off and in clear view of the person working on it.**

Correct answer: **(B)**

Selected answer: **(B)**

A) True

B) False

### Question 7 of 9

**A “Do Not Operate” or “Do Not Use” tag must always be placed with a lock.**

Correct answer: **(A)**

Selected answer: **(A)**

A) True

B) False

### Question 8 of 9

**A tag that is placed with a lock must be blue and white.**

Correct answer: **(B)**

Selected answer: **(B)**

A) True

B) False

### Question 9 of 9

**If three people are performing repair work, only supervisor must place his lock and tag.**

Correct answer: **(B)**

Selected answer: **(B)**

A) True

B) False