



Results for:
California Wildfire Smoke Safety

Company Name:
West Builders

Points:
80 out of 100

Duration:
3 min, 55 sec

Percentage:

80.00%

Employee Name:
Mitch Thompson

Title:
California Wildfire Smoke Safety

Date finished:
Jun Mon June 2022 10:48

Date started:
Jun Mon June 2022 10:44

Question 1 of 5

The most harmful pollutant from wildfire smoke is particulate matter 2.5.

Correct answer: **(A)**

Selected answer: **(A)**

A) True

B) False

Question 2 of 5

AQI stands for Air Quality Index.

Correct answer: **(A)**

Selected answer: **(A)**

A) True

B) False

Question 3 of 5

At what AQI level is wildfire smoke hazardous?

Correct answer: **(C)**

Selected answer: **(C)**

A) 50

B) 100

C) 151

Question 4 of 5

One exception to the regulation is when the AQI for PM 2.5 is 151 or greater for a total of how long?

Correct answer: **(B)**

Selected answer: **(B)**

A) 30 minutes or less during a shift

B) one hour or less during a shift

C) 2 hours or less during a shift

Question 5 of 5

Respiratory protection is mandatory when the AQI level

Correct answer: **(C)**

Selected answer: **(A)**

A) exceeds 100

B) exceeds 200

C) exceeds 500