



**Results for:**  
California Wildfire Smoke Safety

**Company Name:**  
R D Builders

**Points:**  
100 out of 100

**Duration:**  
0 min, 54 sec

**Percentage:**

**100.00%**

**Employee Name:**  
Korey Jensen

**Title:**  
California Wildfire Smoke Safety

**Date finished:**  
Aug Fri August 2022 09:29

**Date started:**  
Aug Fri August 2022 09:28

### Question 1 of 5

**The most harmful pollutant from wildfire smoke is particulate matter 2.5.**

Correct answer: **(A)**

Selected answer: **(A)**

A) True

B) False

### Question 2 of 5

**AQI stands for Air Quality Index.**

Correct answer: **(A)**

Selected answer: **(A)**

A) True

B) False

### Question 3 of 5

**At what AQI level is wildfire smoke hazardous?**

Correct answer: **(C)**

Selected answer: **(C)**

A) 50

B) 100

C) 151

### Question 4 of 5

**One exception to the regulation is when the AQI for PM 2.5 is 151 or greater for a total of how long?**

Correct answer: **(B)**

Selected answer: **(B)**

A) 30 minutes or less during a shift

B) one hour or less during a shift

C) 2 hours or less during a shift

## Question 5 of 5

**Respiratory protection is mandatory when the AQI level**

Correct answer: (C)

Selected answer: (C)

A) exceeds 100

B) exceeds 200

C) exceeds 500